

## Exhibit A

```

<!--StartFragment-->RESULT 2
AAM52349
ID    AAM52349 standard; protein; 132 AA.
XX
AC    AAM52349;
XX
DT    25-JAN-2002 (first entry)
XX
DE    Human soluble HM1.24 antigen extracellular domain.
XX
KW    HM1.24 antigen; extracellular domain; immunoassay; human.
XX
OS    Homo sapiens.
XX
PN    WO200177362-A1.
XX
PD    18-OCT-2001.
XX
PF    05-APR-2001; 2001WO-JP002964.
XX
PR    06-APR-2000; 2000JP-00105423.
XX
PA    (CHUS ) CHUGAI SEIYAKU KK.
XX
PI    Kinoshita Y, Ishikawa Y;
XX
DR    WPI; 2002-010919/01.
DR    N-PSDB; ABA01216.
XX
PT    Preparation of soluble HM1.24 antigen extracellular domain, useful for
PT    immunoassay of HM1.24 antigen.
XX
PS    Disclosure; Page 85-86; 96pp; Japanese.
XX
CC    The present invention relates to a method for preparing soluble HM1.24
CC    antigen extracellular domain. The method comprises culturing animal cells
CC    transformed by an expression vector carrying EF1alpha (undefined)
CC    promoter and HM1.24 antigen gene. The invention can be used for
CC    immunoassay of HM1.24 antigen. The method is more sensitive to
CC    conventional enzyme linked immunosorbant assay (ELISA) methods. The
CC    present sequence was used to illustrate the present invention
XX
SQ    Sequence 132 AA;

```

```

Query Match          100.0%; Score 649; DB 5; Length 132;
Best Local Similarity 100.0%; Pred. No. 6.2e-56;
Matches 132; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```

```

Qy      1 NSEACRDGLRAVMECRNVTHLLQQELTEAQKGFQDVEAQAATCNHTVMALMASLDAEKAQ 60
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      1 NSEACRDGLRAVMECRNVTHLLQQELTEAQKGFQDVEAQAATCNHTVMALMASLDAEKAQ 60

Qy     61 GQKKVEELEGEITTLNHKLQDASAEVERLRRENQVLSVRIADKKYYPSSQDSSSAAAPQL 120
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     61 GQKKVEELEGEITTLNHKLQDASAEVERLRRENQVLSVRIADKKYYPSSQDSSSAAAPQL 120

Qy     121 LIVLLGLSALLQ 132
        |||||||||
Db     121 LIVLLGLSALLQ 132

```

```

<!--EndFragment-->

```